



Denom. del Conjunto	Eje d	Denom. del Rodam.	Peso kg	Dimensiones en mm											Coeficientes	
				A	P	E	K	Z _{h8}	J	C	H	B	H ₂	n	diná. c kN	estat. c ₀ kN
UCFC 204	20	UC 204	0,7	100	78	55,1	12	62	5	7	20,5	31,0	28,3	10	12,8	6,6
UCFC 205	25	UC 205	1,0	115	90	63,6	12	70	6	7	21,0	34,1	29,7	10	14,0	7,8
UCFC 206	30	UC 206	1,5	125	100	70,7	12	80	8	8	23,0	38,1	32,2	10	19,5	11,3
UCFC 207	35	UC 207	1,7	135	110	77,8	14	90	8	9	26,0	42,9	36,4	11	25,5	15,3
UCFC 208	40	UC 208	2,1	145	120	84,4	14	100	10	9	26,0	49,2	41,2	11	32,5	19,8
UCFC 209	45	UC 209	3,0	160	132	93,3	16	105	12	14	26,0	49,2	40,2	10	32,5	20,4
UCFC 210	50	UC 210	3,1	165	138	97,6	16	110	12	14	28,0	51,6	42,6	10	35,0	23,2
UCFC 211	55	UC211	4,2	185	150	106,1	19	125	12	15	31,0	55,6	46,4	13	43,5	29,0
UCFC 212	60	UC 212	4,9	195	160	113,1	19	135	12	15	36,0	65,1	56,7	17	52,0	36,0
UCFC 213	65	UC 213	5,8	205	170	120,2	19	145	14	15	36,0	65,1	55,7	16	62,0	44,0
UCFC 214	70	UC 214	6,8	215	177	125,1	19	150	14	18	40,0	74,6	61,4	17	62,0	44,0
UCFC 215	75	UC 215	7,4	220	184	130,1	19	160	16	18	40,0	77,8	62,5	18	62,0	44,5
UCFC 216	80	UC 216	9,2	240	200	141,4	23	170	16	18	42,0	82,6	67,3	18	72,0	54,0
UCFC 218	90	UC 218	13,0	265	220	155,5	23	190	18	20	50,0	96,0	78,3	22	96,0	72,0