






Kurzzeichen Gehäuse	d	d1	D	B	B ₁	B ₂	H mm	H ₁	E	A	N ₁	N	P	R	X	Gewicht kg
TVL306 A	35	40	72	80	55	28	50	18	210	255	19	28	15	17	28,5	3,3
TVL308 A	40	45	80	80	55	28	55	20	210	255	19	28	16	18	28,5	3,8
TVN309 A-G	45	55	100	95	70	40	70	23	210	270	21	21	23	25	32,5	6,3
TVN310 A-G	50	60	110	102	70	40	70	23	210	270	20	32	25	27	36,5	6,9
TVN211 A-G	55	65	100	95	70	40	70	23	210	270	20	32	19	21	34,5	6,2
TVN213 A-G	65	75	120	110	80	45	80	25	230	290	20	32	21	23	40,5	9,4





FÖRDERWAGEN-LAGERGEHÄUSE



Reihe TVN 2 WA (Außenlager)

Reihe TVN 2 WB (Innenlager)

für Pendelkugellager der Reihe 22 und Pendelrollenlager 222
mit zylindrischer Bohrung



Reihe TVN 2 A (Aussenlager)

Reihe TVN 2 B (Innenlage)





für Pendelkugellager der Reihe 12

Kurzzeichen Ausf. WA+WB	d _a	d _b	A	B	A ₁	A ₂	A ₃	N mm	N ₁	H ₁	H ₂	J	L	G	B _a	Gewicht kg
TVN 204 WA	20	25	61	68	45	25	6	15	22	35	14	110	150	M 12	21,5	1,3
TVN 204 WB	20	25	61	68	45	25	6	15	22	35	14	110	150	M 12	21,5	1,5
TVN 205 WA	25	30	63	70	45	25	7	15	22	40	16	130	170	M 12	22,5	1,8
TVN 205 WB	25	30	63	70	45	25	7	15	22	40	16	130	170	M 12	22,5	1,9
TVN 206 WA	30	35	71	76	52	30	7	15	22	50	16	150	190	M 12	25,0	2,6
TVN 206 WB	30	35	71	76	52	30	7	15	22	50	16	150	190	M 12	25,0	2,7
TVN 207 WA	35	45	77	78	52	30	8	15	22	50	18	150	190	M 12	25,5	3,0
TVN 207 WB	35	45	77	78	52	30	8	15	22	50	18	150	190	M 12	25,5	3,4
TVN 208 WA	40	50	86	92	60	35	8	15	27	60	18	170	210	M 12	30,5	4,5
TVN 208 WB	40	50	86	92	60	35	8	15	27	60	18	170	210	M 12	30,5	4,5
TVN 209 WA	45	55	87	92	60	35	8	15	27	60	20	170	210	M 12	30,0	4,3
TVN 209 WB	45	55	87	92	60	3	8	15	27	60	20	170	210	M 12	30,0	4,6
TVN 210 WA	50	60	90	94	60	35	8	15	27	60	20	170	210	M 12	32,5	4,60
TVN 210 WB	50	60	90	94	60	35	8	15	27	60	20	170	210	M 12	32,5	4,80
TVN 211 WA	55	65	95	100	70	40	8	20	32	70	23	210	270	M 16	32,5	6,50
TVN 211 WB	55	65	95	100	70	40	8	20	32	70	23	210	270	M 16	32,5	6,80
TVN 212 WA	60	70	102	105	70	40	10	20	32	70	23	210	270	M 16	36,0	7,0
TVN 212 WB	60	70	102	105	70	40	10	20	32	70	23	210	270	M 16	36,0	7,5
TVN 213 WA	65	75	110	115	80	45	10	20	32	80	25	230	290	M 16	36,5	9,50
TVN 213 WB	65	75	110	115	80	45	10	20	32	80	25	230	290	M 16	36,5	9,90
TVN 214 WA	70	80	111	115	80	45	10	20	32	80	25	230	290	M 16	37,0	9,40
TVN 214 WB	70	80	111	115	80	45	10	20	32	80	25	230	290	M 16	37,0	10,40
TVN 215 WA	75	85	115	117	80	45	10	20	32	80	25	230	290	M 16	38,5	10,40
TVN 215 WB	75	85	115	117	80	45	10	20	32	80	25	230	290	M 16	38,5	10,00

Reihe TVN 3 WA (Außenlager)

Reihe TVN 3 WB (Innenlager)

für Pendelkugellager der Reihe 23 und Pendelrollenlager 223
mit zylindrischer Bohrung



Reihe TVN 3 A (Außenlager)

Reihe TVN 3 B (Innenlager)

für Pendelkugellager der Reihe 13

Kurzzeichen Ausf. WA+WB	d _a	d _b	B	B _i	A ₁	A ₂	A ₃	N mm	N ₁	H ₁	H ₂	J	L	G	B _a	Gewicht kg
TVN 304 WA	20	25	63	71	45	25	7	15	22	40	16	130	170	M 12	21,0	2,0
TVN 304 WB	20	25	63	71	45	25	7	15	22	40	16	130	170	M 12	21,0	2,1
TVN 305 WA	25	30	71	76	52	30	7	15	22	50	16	150	190	M 12	23,0	2,6
TVN 305 WB	25	30	71	76	52	30	7	15	22	50	16	150	190	M 12	23,0	2,8
TVN 306 WA	30	35	77	78	52	30	8	15	22	50	18	150	190	M 12	23,5	3,0
TVN 306 WB	30	35	77	78	52	30	8	15	22	50	18	150	190	M 12	23,5	3,1
TVN 307 WA	35	45	86	92	60	35	8	15	22	60	18	170	210	M 12	26,5	4,3
TVN 307 WB	35	45	86	92	60	35	8	15	27	60	18	170	210	M 12	26,5	4,4
TVN 308 WA	40	50	90	94	60	35	8	15	27	60	20	170	210	M 12	27,5	4,8
TVN 308 WB	40	50	90	94	60	35	8	15	27	60	20	170	210	M 12	27,5	4,9
TVN 309 WA	45	55	95	100	70	40	8	20	32	70	23	210	270	M 16	27,0	6,4
TVN 309 WB	45	55	95	100	70	40	8	20	32	70	23	210	270	M 16	27,0	6,5
TVN 310 WA	50	60	102	105	70	40	10	20	32	70	23	210	270	M 16	30,0	6,9
TVN 310 WB	50	60	102	105	70	40	10	20	32	70	23	210	270	M 16	30,0	7,1
TVN 311 WA	55	65	110	115	80	45	10	20	32	80	25	230	290	M 16	30,5	9,30
TVN 311 WB	55	65	110	115	80	45	10	20	32	80	25	230	290	M 16	30,5	9,5
TVN 312 WA	60	70	115	117	80	45	10	20	32	80	25	230	290	M 16	31,0	10,5
TVN 312 WB	60	70	115	117	80	45	10	20	32	80	25	230	290	M 16	31,0	11,0
TVN 313 WA	65	75	122	127	90	50	10	25	32	95	28	260	330	M 20	35,0	13,5
TVN 313 WB	65	75	122	127	90	50	10	25	32	95	28	260	330	M 20	35,0	14,5
TVN 314 WA	70	80	126	129	90	50	10	25	32	95	28	260	330	M 20	35,5	14,0
TVN 314 WB	70	80	126	129	90	50	10	25	32	95	28	260	330	M 20	35,5	14,5
TVN 315 WA	75	85	136	139	100	55	10	25	32	100	30	290	360	M 20	38,5	18,5
TVN 315 WB	75	85	136	139	100	55	10	25	32	100	30	290	360	M 20	38,5	19,5